

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|---|---|---------------------|
| - | 23894 | channel near8(buffer queue) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 21:23 |
| - | 44885 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near5(buffer queue) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 17:35 |
| - | 154289 | channel buffer queue)near5(select\$5 priorit\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 10:10 |
| - | 256 | (channel near8(buffer queue)) same ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near5(buffer queue)) same (channel buffer queue)near5(select\$5 priorit\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 10:11 |
| - | 196 | ((channel near8(buffer queue)) same ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near5(buffer queue)) same (channel buffer queue)near5(select\$5 priorit\$)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 17:38 |
| - | 1 | "5369747".PN. | USPAT | 2004/07/22 15:49 |
| - | 1 | "5301279".PN. | USPAT | 2004/07/22 15:50 |
| - | 1 | "5164939".PN. | USPAT | 2004/07/22 15:50 |
| - | 1 | "5088025".PN. | USPAT | 2004/07/22 15:55 |
| - | 1 | "5072420".PN. | USPAT | 2004/07/22 15:55 |
| - | 1 | "4897833".PN. | USPAT | 2004/07/22 15:56 |
| - | 1 | "4878218".PN. | USPAT | 2004/07/22 15:56 |
| - | 1 | "4631668".PN. | USPAT | 2004/07/22 16:01 |
| - | 1 | "4630261".PN. | USPAT | 2004/07/22 16:02 |
| - | 1 | "4378588".PN. | USPAT | 2004/07/22 16:02 |
| - | 1 | "4272815".PN. | USPAT | 2004/07/22 16:03 |
| - | 1 | "4271468".PN. | USPAT | 2004/07/22 16:03 |
| - | 1 | "3699530".PN. | USPAT | 2004/07/22 16:04 |
| - | 1021 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near7((buffer queue fifo)near3(transmit send)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 21:25 |
| - | 120 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near7((buffer queue fifo)near3(transmit send))) same priorit\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 17:38 |
| - | 87 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near7((buffer queue fifo)near3(transmit send))) same priorit\$ and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 21:25 |

| | | | | |
|---|------|---|---|---------------------|
| - | 7086 | ((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 19:37 |
| - | 1331 | (channel near8(buffer queue)) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 19:37 |
| - | 1935 | ((((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:32 |
| - | 360 | ((channel near8(buffer queue)) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 20:53 |
| - | 207 | ((((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) same priorit\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 19:40 |
| - | 50 | ((channel near8(buffer queue)) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) and(@ad<20000719 @prad<20000719 @rlad<20000719)) and (((((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) same priorit\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 19:40 |

| | | | | |
|---|--------|---|---|---------------------|
| - | 91 | (((((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) same priorit\$) and(@ad<20000719 @prad<20000719 @rlad<20000719))not (((channel near8(buffer queue)) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) and (((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) and(@ad<20000719 @prad<20000719 @rlad<20000719)) and ((((((fifo buffer queue)near3(status space avail\$ empt\$5 full\$4 fill\$3 amount occupan\$))near8(threshold level reach\$ exceed\$ watermark (water adj mark)overflow overrun (over adj(flow run)))) same transmi\$) same priorit\$)) ((port channel)near8(buffer queue fifo))near3 plural\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 20:53 |
| - | 2284 | ((port channel)near8(buffer queue fifo))near3 plural\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:30 |
| - | 77 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near7((buffer queue fifo)near3(transmit send))) and (((port channel)near8(buffer queue fifo))near3 plural\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/22 21:25 |
| - | 59 | ((threshold watermark\$ level exceed\$ excess overflow\$ overrun (over adj(flow run)))near7((buffer queue fifo)near3(transmit send))) and (((port channel)near8(buffer queue fifo))near3 plural\$3) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:08 |
| - | 36097 | port channel)near6(buffer queue fifo | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:31 |
| - | 38140 | (fifo buffer queue)near6(threshold predetermined prescribed reach\$ exceed\$ watermark (water adj mark)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:35 |
| - | 324751 | fifo buffer queue channel port)near6(servic\$ priorit\$ transmit\$ select\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:40 |
| - | 4377 | ((fifo buffer queue)near6(threshold predetermined prescribed reach\$ exceed\$ watermark (water adj mark))) with (fifo buffer queue channel port)near6(servic\$ priorit\$ transmit\$ select\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:06 |
| - | 530 | (port channel)near6(buffer queue fifo) same (((fifo buffer queue)near6(threshold predetermined prescribed reach\$ exceed\$ watermark (water adj mark))) with (fifo buffer queue channel port)near6(servic\$ priorit\$ transmit\$ select\$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 10:40 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 429 | ((port channel)near6(buffer queue fifo) same (((fifo buffer queue)near6(threshold predetermined prescribed reach\$ exceed\$ watermark (water adj mark))) with (fifo buffer queue channel port)near6(servic\$ priorititi\$ transmit\$ select\$5))) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:03 |
| - | 11117 | (select\$3 priorititi\$)near4(channel port)near5 transmi\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:05 |
| - | 4043 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 17:28 |
| - | 1 | ((select\$3 priorititi\$)near4(channel port)near5 transmi\$) same (((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:08 |
| - | 36097 | (fifo buffer queue)near6(port channel) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:08 |
| - | 336 | ((fifo buffer queue)near6(port channel)) same (((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:08 |
| - | 281 | ((fifo buffer queue)near6(port channel)) same (((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:07 |
| - | 23 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) and (priorititi\$ near3(channel port)near3(transmi\$ send output)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 16:30 |
| - | 2 | 6018515.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 17:46 |
| - | 8239 | priority near3(buffer queue) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 17:46 |
| - | 491 | (priority near3(buffer queue)) with channel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 17:46 |
| - | 409 | ((priority near3(buffer queue)) with channel) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:54 |
| - | 39 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) and ((priority near3(buffer queue)) with channel) and(@ad<20000719 @prad<20000719 @rlad<20000719)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:01 |

| | | | | |
|---|--------|---|---|---------------------|
| - | 1253 | ((multi\$3 plural\$3)adj2 channel)multichannel)near6(buffer queue fifo) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:03 |
| - | 24 | (priority near3(buffer queue)) same (((multi\$3 plural\$3)adj2 channel)multichannel)near6(buffer queue fifo)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:06 |
| - | 53 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) and (((multi\$3 plural\$3)adj2 channel)multichannel)near6(buffer queue fifo)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:06 |
| - | 37 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) and (((multi\$3 plural\$3)adj2 channel)multichannel)near6(buffer queue fifo))) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:12 |
| - | 170 | prioriti\$ near3(channel port)near3(transmi\$ send output) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 18:52 |
| - | 110809 | schedul\$ prioriti\$ servic\$ select\$3)near3(channel port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:12 |
| - | 45 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same (schedul\$ prioriti\$ servic\$ select\$3)near3(channel port) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:51 |
| - | 38 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same (schedul\$ prioriti\$ servic\$ select\$3)near3(channel port)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:51 |
| - | 12767 | channel near3(buffer fifo queue) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:10 |
| - | 829 | (schedul\$ prioriti\$ servic\$ select\$3)same ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:12 |
| - | 124 | (channel near3(buffer fifo queue)) and ((schedul\$ prioriti\$ servic\$ select\$3)same ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:49 |
| - | 197059 | start\$3 begin\$4 commenc\$)near5(output\$4 send\$3 schedul\$ transmi\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:51 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 116 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same (start\$3 begin\$4 commenc\$)near5(output\$4 send\$3 schedul\$ transmi\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 19:51 |
| - | 91 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same (start\$3 begin\$4 commenc\$)near5(output\$4 send\$3 schedul\$ transmi\$)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:27 |
| - | 121 | ((fifo buffer queue)near6(port channel)) same ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) and(@ad<20000719 @prad<20000719 @rlad<20000719) and (overrun overflow (over adj(run flow))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:08 |
| - | 0 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same (start\$3 begin\$4 commenc\$)near5(output\$4 send\$3 schedul\$ transmi\$)) same slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:27 |
| - | 78 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:27 |
| - | 69 | ((fifo buffer queue)near6(threshold predetermined prescribed watermark (water adj mark)))near5(reach\$ exceed\$) same slot) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/23 20:27 |
| - | 572 | ((tx transmit outbound send)adj2(buffer fifo queue))with priorit\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 18:06 |
| - | 33043 | (buffer fifo queue)with channel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 18:52 |
| - | 177 | ((tx transmit outbound send)adj2(buffer fifo queue))with priorit\$) and ((buffer fifo queue)with channel) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 15:52 |
| - | 132 | ((tx transmit outbound send)adj2(buffer fifo queue))with priorit\$) and ((buffer fifo queue)with channel)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 18:08 |
| - | 107 | ((tx transmit outbound send)adj2 channel)near4(priorit\$ arbitra\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 19:01 |
| - | 64 | ((buffer fifo queue)with channel) and ((tx transmit outbound send)adj2 channel)near4(priorit\$ arbitra\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 18:08 |
| - | 58 | ((buffer fifo queue)with channel) and ((tx transmit outbound send)adj2 channel)near4(priorit\$ arbitra\$)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 21:57 |

| | | | | |
|---|--------|---|---|---------------------|
| - | 14105 | buffer fifo queue)near7(threshold watermark exceed\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 18:54 |
| - | 8 | ((tx transmit outbound send)adj2 channel)near4(priorit\$ arbitra\$) and (buffer fifo queue)near7(threshold watermark exceed\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 19:00 |
| - | 3915 | (transmi\$ outbound\$ send\$)with((channel port)near6(priorit\$ arbitra\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 19:02 |
| - | 25 | (buffer fifo queue)near7(threshold watermark exceed\$) same ((transmi\$ outbound\$ send\$)with((channel port)near6(priorit\$ arbitra\$))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 20:03 |
| - | 13 | ((buffer fifo queue)near7(threshold watermark exceed\$) same ((transmi\$ outbound\$ send\$)with((channel port)near6(priorit\$ arbitra\$)))) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 20:03 |
| - | 229 | ((buffer fifo queue)near7(threshold watermark exceed\$) and ((transmi\$ outbound\$ send\$)with((channel port)near6(priorit\$ arbitra\$))) and(@ad<20000719 @prad<20000719 @rlad<20000719)not (((buffer fifo queue)near7(threshold watermark exceed\$) same ((transmi\$ outbound\$ send\$)with((channel port)near6(priorit\$ arbitra\$)))) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 21:52 |
| - | 3316 | buffer fifo queue)near7(threshold watermark exceed\$) near5(transmi\$ output outbound send | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 21:54 |
| - | 136611 | (increas\$ allocat\$ priorit\$ schedul\$ bandwidth)with channel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 21:55 |
| - | 57 | ((buffer fifo queue)near7(threshold watermark exceed\$) near5(transmi\$ output outbound send)) with ((increas\$ allocat\$ priorit\$ schedul\$ bandwidth)with channel) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 22:14 |
| - | 42 | ((buffer fifo queue)near7(threshold watermark exceed\$) near5(transmi\$ output outbound send)) with ((increas\$ allocat\$ priorit\$ schedul\$ bandwidth)with channel)) and(@ad<20000719 @prad<20000719 @rlad<20000719) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 21:57 |
| - | 29 | ((buffer fifo queue)near7(threshold watermark exceed\$) near5(transmi\$ output outbound send)) same ((increas\$ allocat\$ priorit\$ schedul\$ bandwidth)with channel))not (((buffer fifo queue)near7(threshold watermark exceed\$) near5(transmi\$ output outbound send)) with ((increas\$ allocat\$ priorit\$ schedul\$ bandwidth)with channel)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 22:36 |